



Stock List

C.B. Trading Co.

**14/20-A, Dr. H.K. Chatterjee Street, Ghusuri,
Howrah – 711107, West Bengal, India.**

(Works) – 033-26555006 / 033-26438351

Chandrabhan Prajapati – 9831018750

Hanuman Prasad Agarwal - 9831150021//9830240304

E-Mail – cbtc93@gmail.com

Chakri

NO.	OD	LENGTH	ID	C%	Mn%	Ni%	Cr%	REMARK
6.4	400	200		.37	Mo-23	1.38	.90	En-24
5(7.4)	350	240		.43	.80			Class 4
732(7.4)	600	590	105	.40				Class 4
11.4	280	70	100	.30				Class 3
1.5	538	90						M.S
763(6.5)	330	515		.35	Mo-.35		2.65	
6.5	580	145		.35				Class 3
9.5	530	200						Class 3
11.6	540	170						Class 3
887(12.6)	470	100	115	.36				
880	585	240		.40				
3.7	495	32						En-24
926	540	120		.38	.82			
962(10.7)	460	250		.44	.75.			
1.8	645	170	180	.25	Mo.21	1.45	1.38	En-353
33(1.9)	460	120		.20	.54			
9.6	580	510		.43	.65			
2.8	320	80	80					M.S.
8.6	435	110		.29				
9.9 116	620	85	115	.23				
10.9 132	540	50		.40				
3.10	440	40		.40	.78			
1.9	435	240	75	.33	Mo .45	1.47	1.30	En24
6.10	600	230/225	430	.38				3pcs ring
200	490	305		.35				
12.10	285	130						En24
	280	140						En24
	263	145						En24
	225	175						En24
	495	45	230					2pcs en-19
4.8	340	30						ms
871 8.6	425	125		.29				
193 7.10	865/855	160	470	.20	.80			
200 9.10	490	305		.35				
9.6	200	250						M.S
5 5.8	590	365		.31	.74			
200	615	220(chabi)		.35				
200	615/630	375(chabi)		.35				
87	630	40	115					En8
5.11	640	210						Ms

Shaft + Pin

NO.	OD	LENGTH	ID	C%	Mn%	Cr%	REMARK
237	600	1200		.59			
1.12	500	580		.20	.76		
294	450	4010		.29			
290	320	3400		.31	.84		forged
289	320	2740		.30	.96		Forged
11.13	400	1020	85	.37	.80		Hollow shaft
323	435	5650		.26	.75		
2.15	570	4610		.23	.82		
3.15	437	4180					M.S
4.15	260// 260(chabi)	6500/440					M.S
2pcs 6.15	365	3000					M.S

NO.	OD	LENGTH	ID	C%	Mn%	Cr%	REMARK
6.7 A	635	1240	460	.39	.90		Pipe
92	600	800	230	.36/.40	.76		
162 1.10	690	2350	560	.22	.80		Pipe
6.10	600	230	430	.38			3pcs Rings
11.13	860	590	450				Pipe
1.12	927	250	680				Pipe

NO.	Size	C%	Mn%	Cr%	REMARK
10.5	270x270x204				Bloom
2.9	14"x13.5"x15.5"	.37	.67		Bloom
9.11	360x275x480				4pcs Bloom
5.12	1020x570x455				M.S.slab
8.12	750*1500*9.5"				M.S.slab

Step Round

NO.	Size	C%	Mn%	Cr%	Ni%	REMARK
6.3	D 315x225 + d410x705 + d315x270	.18	1.17	1.04		20mncr5
353(7.3)	D 150x150 + d300x525 + d125x600	.37	.71			
9.3 2pcs	D 187x250 + d250x385 + d223x750 + d250x385					En-19
277(5.3)	D 360x140 + 320x300	.42	.60			
5.3	D 260x80 + d320x215 + d360x615	.42	.60			
485(7.4)	D 325x250 + d280x630 + d255x570	.44		1.10	Mo.25	En-19
694(7.4)	D 560x30 + d615x160 bore 500 approx	.46				
527(8.4)	D 200x360 + d240x600	.40				
8.4	D 240x110 + d200x360	.40				
10.4	D 280x735 + d300x880 + d330x530 + d410x60	.38				
5(5.7) 2pcs	D 280x370 + d 305x545 + d280x370	.42	.70	.98	Mo-21	Cl-4 & En-19
27(12.8)	D 400x600 + d490x700 + d550x300 + d580x1780					Carbon Rotar
64(4.9)	D 215x465 + d250x2690 + d215x330	.56	.62			
73(5.9)	(D 265x290 + d335x170 + d465x140) + (d460x150 + d340x195 + d265x540 + d400x150 + d265x460)	.22	.76			M.S.
103 B-11	D 230x190 + d360x670 + d230x295	.40		1	2.3	Mo.45 Gear(24)
158	450(chavi)+300mm thread	.25	.68			
1.10 162 pipe 163-round	D690x1600+d450x300+d230x1330 Id-560	.22 .20	.80 Mo-.40	- 1.22	- 1.50	M.S. pipe En 353
200	D345x130+d365x130+d435x410+ d400x120	.35				
961 10.7	D440x325+d525x173	.21	.66			
234 9.11	d285x1100+d350x430+ d360x530+d355x710+ d315x415(chabi 340 long)+d240x285	.23	.64			shaft
6.7	D270x345+d305x180	.42	.70	.92	Mo .21	En19
239	D280x345(chabi)+d295x265+ d280x50+305x110	.25	.58			
298	D280x250+d300x290+d280x250	.40	.67			
12.13 306	D265x180+d210x2140	.23	.80			
12.13	D700x170+d670x660+d705x845+ D740/745x2185+d665x600+d745x750 D695x100	.47	.94			
314	D465x1330+d440x1140+d465x1000+ D465tod380x230	.23	.60			
9.6	D300x465+d240x110					M.S